

Treatment Location: _____

PROVIDERS: Please include the following to expedite the order:

Patient Demographics, Most Recent Office Visit Note, Insurance Information, Negative Hep B Result

PATIENT INFORMATIONReferral Status: New Referral Updated Order Order Renewal

Date: _____ Patient Name: _____ Patient Phone: _____ DOB: _____

ICD-10 code (required): G35 ICD Description: _____

Allergies: _____ Weight (lbs/kg): _____ Height: _____

Patient Status: New to Therapy Continuing Therapy Last Treatment Date: _____ Next Due Date: _____**PROVIDER INFORMATION**

Referral Coordinator Name: _____ Referral Coordinator Email: _____

Ordering Provider: _____ Provider NPI: _____

Referring Practice Name: _____ Phone: _____ Fax: _____

Practice Address: _____ City: _____ State: _____ Zip: _____

NURSING

- Center will use Hypersensitivity protocol established by Infusion for Health and PI
- Negative Hepatitis B Test (list results/date & attach clinicals): _____

Based on the manufacturer PI, most payors require a quantitative serum immunoglobulin screening prior to Ocrevus induction.

- I have attached results from a recent quantitative serum immunoglobulin test (list results here & attach clinicals)

PRE-MEDICATION ORDERS

It is recommended to pre-medicate with oral Dexamethasone or an equivalent corticosteroid and an antihistamine (eg desloratadine) approximately 30 minutes prior to each injection.

- Dexamethasone 20mg PO
 - Claritin 10mg PO
 - Acetaminophen 325mg / 500mg / 650mg PO
- Other: _____
Dose: _____ Route: _____ Frequency: _____

SPECIAL INSTRUCTIONS:

Provider Name (Print)	Provider Signature	Date
-----------------------	--------------------	------

- Please check this box if you DO NOT authorize Infusion for Health to complete a Peer to Peer on behalf of the prescribing provider for an insurance company that denies authorization for treatment.

LABORATORY ORDERS

- Quantitative Serum Immunoglobulin every _____
- CMP at each dose every _____
- Other: _____ Frequency: _____
- Urine Pregnancy at each dose every _____
- Please check this box if you DO NOT authorize Infusion for Health to order and draw labs indicated for clinical clearance and/or insurance authorization prior to treatment.

THERAPY ADMINISTRATION

- Ocrevus Zunovo SQ Injection
Dose: 920 mg/23,000 units hyaluronidase/23 mL administered subcutaneously in the abdomen over 10 minutes
Frequency: Every 6 months
- Monitor patients for 1 hour after the completion of initial injection and for 15 minutes after subsequent injections.
- Refills: Zero / for 12 months / _____
(if not indicated order will expire one year from date signed)

To ensure that a brand name product is dispensed, the prescriber must handwrite "Brand Medically Necessary" on the prescription form. If not indicated, I4H is authorized to administer a generic or biosimilar.